

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/988,488	11/20/2001	Yasuhiro Sando	15162/04050	8768
24367 7590 02/07/2005			EXAMINER	
SIDLEY AUS	STIN BROWN & WO	SNAY, JEFFREY R		
717 NORTH H	ARWOOD			
SUITE 3400			ART UNIT	PAPER NUMBER
DALLAS, TX 75201			1743	

DATE MAILED: 02/07/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
Office Action Summary		09/988,488	SANDO ET AL.			
		Examiner	Art Unit			
		Jeffrey R. Snay	1743			
	The MAILING DATE of this communica		ith the correspondence address			
Period fo	• •					
THE - Exte after - If the - If NO - Failt Any	MAILING DATE OF THIS COMMUNICA ensions of time may be available under the provisions of 3 of SIX (6) MONTHS from the mailing date of this communical experiod for reply specified above is less than thirty (30) do period for reply is specified above, the maximum statutoure to reply within the set or extended period for reply will, reply received by the Office later than three months after led patent term adjustment. See 37 CFR 1.704(b).	ATION. 7 CFR 1.136(a). In no event, however, may a cation. ays, a reply within the statutory minimum of thi yry period will apply and will expire SIX (6) MOI by statute, cause the application to become A	reply be timely filed rty (30) days will be considered timely. NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).			
Status						
1)⊠	Responsive to communication(s) filed of	on 22 November 2004.				
'	,					
3)	· -					
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposit	ion of Claims					
4)⊠	☑ Claim(s) <u>1-45</u> is/are pending in the application.					
<i>,</i> —	4a) Of the above claim(s) <u>28-45</u> is/are withdrawn from consideration.					
5)	Claim(s) is/are allowed.					
6)⊠	Claim(s) <u>1-27</u> is/are rejected.					
7)	Claim(s) is/are objected to.					
8)[Claim(s) are subject to restriction	n and/or election requirement.				
Applicat	ion Papers	•				
9)[The specification is objected to by the E	xaminer.				
	The drawing(s) filed on is/are: a)		by the Examiner.			
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11)	The oath or declaration is objected to by	y the Examiner. Note the attache	d Office Action or form PTO-152.			
Priority (under 35 U.S.C. § 119					
•	Acknowledgment is made of a claim for All b) Some * c) None of:		§ 119(a)-(d) or (f).			
	1. Certified copies of the priority do					
	2. Certified copies of the priority do					
	3. Copies of the certified copies of t	•	received in this National Stage			
* 9	application from the International See the attached detailed Office action for	, ,,,	t received			
·	222 III GILGOI GU GOLGIOG GIIGO GOLGIOTI N	2. 2 not of the continue copies no				
Attachmer		_				
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 4) Interview Summary (PTO-413) Paper No(s)/Mail Date						
3) Infor	Informal Patent Application (PTO-152)					

Application/Control Number: 09/988,488 Page 2

Art Unit: 1743

DETAILED ACTION

Election/Restrictions

1. Applicant's election without traverse of claims 1-27 in the reply filed on 11-22-2004 is acknowledged.

General claim construction & interpretation

2. The preamble to each of claims 1-27 makes reference to a "microchip."

However, the body of each claim sets forth sufficient structure to fully define the claimed device. Further, the body of each claim fails to recite any limitation that refers back to the "microchip" referenced in the preamble. Finally, the specification fails to provide any definition for the preamble term "microchip." Instead, the specification teaches only that the claimed "microchip" is a device which is fabricated according to the structural limitations now recited in the claims. See e.g. paragraphs [0009 - 0019]. Accordingly, the term "microchip" presently recited in the preamble to claims 1-27 is interpreted as adding nothing more to the limitations of the claims beyond that which would be added by the term "device" or "apparatus."

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Application/Control Number: 09/988,488

Art Unit: 1743

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Page 3

4. Claims 1-8 are rejected under 35 U.S.C. 102(b) as being anticipated by Liu (US 5,444,807).


Liu discloses a flow-through optical sensor which comprises all of the presently recited features.

Referring to Figure 3 of Liu, the prior art device includes a flow pass (10) for containing a reaction to be analyzed. The flow pass extends from entry point (12) to exit point (13). A detection target region is provided within a portion of the flow pass, and is formed in the device depicted in Figure 3 as the horizontal section of the flow pass. A fiber optic cable (22) is connected to the flow pass at the proximal end of the detection target region, and is used to introduce excitation illumination from a light source. A detector (24) is positioned orthogonal to the detection target region to collect that light which is emitted in response to the excitation illumination of the reaction. The optical path, necessitated by the structural orientation depicted in Figure 3, thus originates at the left-most end of the horizontal detection target region, extends in a longitudinal extension direction of the flow pass through the detection target region to at least the right-most end of the horizontal detection target region, and further extends orthogonal to the detection target region toward the detector. The device of Liu further includes a reflective mirror positioned opposite the detector such that emitted light

Art Unit: 1743

traveling in a direction away from the detector is thereby redirected back toward the detector.

An annotated copy of Figure 3 from Liu is produced below.



Liu specifically teach that the flow pass is provided such that its length is significantly greater than both its width and depth. See e.g. Liu at column 5, penultimate paragraph, suggesting use of a tubular flow path having dimensions of 0.3 mm inner diameter and length corresponding to the detection target region of 212 mm.

1 lmit. 4740

With respect to instant claim 4, the annotated figure above clearly indicates that the detection target region (shaded) is larger than the detection area (corresponding to the dimension of the detector).

Page 5

5. Claims 1-8, 12-20, 22-23 and 27 are rejected under 35 U.S.C. 102(e) as being anticipated by Liu (US 6020207).

Liu discloses a flow-through optical sensor which comprises all of the presently recited features.

Referring to Figure 4 of Liu, the prior art device includes a flow pass (10) which further constitutes a detection target region. Specifically, sample reaction fluid is caused to flow through the flow pass, where it interacts with an internally coated reagent. The reacted sample is subjected to excitation light, and fluorescence emission generated in the detection target area is collected and analyzed. In this manner, the flow cell in Liu constitutes a detection target region.

The device of Liu further comprises an optical fiber at a proximal end of the flow pass, coupled to a laser light source, for introduction of excitation light to the detection target area. An optical path is thus provided along the entire length of the detection target area, and is oriented in an extension direction of the flow pass, as presently recited in claim 6. The length of the optical path is greater than the depth and width (i.e. diameter) of the flow pass as indicated by Liu at column 6, line 30. The optical path is optionally doubled by provision of a mirrored surface at the distal end of the flow pass (column 5, lines 42-44).

Art Unit: 1743

With respect to instant claims 12 and 27, Liu discloses the presence of a reagent fixing unit in the flow pass. Specifically, Liu teaches the provision of indicator molecules (24), optically responsive to an analyte of interest, being coated on an interior surface of the flow pass.

The device of Liu further comprises a detector (38), receiving emitted light via the same optical fiber through which excitation light is introduced. Emitted light from the sample reaction is passed back through the detection target area to the proximal end of the optical fiber positioned outside the flow pass. This proximal end of the optical fiber in Liu corresponds to the "light detection area" presently recited in claim 4. Thus, the detection target region in Liu is larger than the light detection area. Further, the optical fiber constitutes a light guide for conducting light from the detection target region to the light detection area, as presently recited in claims 13 and 14.

With respect to instant claims 15 and 16, reciting optical waveguides at each end of the detection target region, it is noted that this structure is clearly depicted in Liu's alternative embodiment shown in Figure 3.

Regarding instant claim 17, see Liu at column 5, lines 42-44 disclosing the provision of a mirror at one end of the detection target area, such that the length of the optical path is doubled. Alternatively, and with respect to instant claims 19 and 20, Liu teaches the entire inner surface of the LWCC being reflective of the excitation light (see column 3, lines 10-13).

With respect to instant claims 22 and 23, see Figure 4 of Liu depicting a lens for condensing and collecting emitted light, and guiding the collected light to a detector.

Application/Control Number: 09/988,488 Page 7

Art Unit: 1743

Claim Rejections - 35 USC § 103

- 6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 8. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Art Unit: 1743

9. Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Liu ('207) in view of Chen ('453).

The device of Liu differs from the presently claimed invention in that Liu fails to specify the mirrored surface being formed of a metallic film. However, the provision of metallic films as mirrors for guiding light in an optical sensor were notoriously well known in the art, and would have been obvious to one of ordinary skill in the art to accomplish the specific purpose taught by Liu. Chen discloses one such application of a silver mirror at the distal tip of a fiber optic sensor. See Figure 2d of Chen.

10. Claims 9-11 and 24-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Liu ('207) in view of Knapp et al ('471).

The device of Liu differs from the presently claimed invention in that Liu discloses only a single flow path inlet, rather than a plurality of branched flow lines controlled by pumps. However, Knapp et al disclose a flow-through optical analysis device in which various fluids are conducted to the sensing area via branched flow paths, valves and micropumps. See particularly Figure 4A of Knapp et al. It would have been obvious to one of ordinary skill in the art to modify the sensor of Liu to further include multiple branched flow inlets, and corresponding flow controls such as valves and micropumps, in order to enable introduction of multiple sample fluid flows either simultaneously or consecutively, as per the teaching of Knapp et al.

Application/Control Number: 09/988,488

Art Unit: 1743

11. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure as general background information related to applicant's field of endeavor.

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeffrey R. Snay whose telephone number is (571) 272-1264. The examiner can normally be reached on Mon-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill A. Warden can be reached on (571) 272-1267. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

> Jeffrey R. Snay Primary Examiner Art Unit 1743

Page 9